


Parts List

<u>Qty</u>	<u>Reference</u>	<u>Description</u>
1	A	Handle
2	B	Frame Connector
2	C	Support Frame
2	D	Zinc Plated Reel Shaft
1	E	Zinc Plated Wheel Axle
2	F	Wheel
1	G	Hardware Kit (bag)



Safety Rules

This product was designed for certain applications only. Elecor strongly recommends that this product not be modified and/or used for any purpose other than that for which it was designed.



CAUTION

Use care when lifting the One Hand Wire Handling Cart.
Unload spools first. Do not use as a step or ladder.

Capacity

Holds up to twelve spools, each 7" in diameter by 5" wide, or six spools, each 7" diameter by 6"-10" wide.

Tools Required for Assembly

7/16-inch wrench or socket. Channel lock or vise grip pliers.

One Year Limited Warranty

Elecor will repair or replace, at its expense and at its option, any Elecor product or accessory which in normal use has proven to be defective in workmanship or material, provided that the customer notifies his supplying distributor of the alleged defect within one year from the date of delivery. If requested by Elecor customer must provide reasonable opportunity to verify the defect by inspection. Elecor will not be responsible for any asserted defect which has resulted from misuse, abuse, repair or alteration. Under no circumstances will Elecor be liable for incidental or consequential damages resulting from defective products. This warranty is Elecor's sole warranty and sets forth the customer's exclusive remedy with respect to defective products; all other warranties, expressed or implied, whether of merchantability, fitness for purpose, or otherwise, are expressly disclaimed by Elecor.

Parts Or Warranty Assistance

All Elecor products and accessories are manufactured to high quality standards. To obtain additional information regarding your Elecor product or to obtain parts, accessories or warranty assistance, please contact customer service at 1-888-466-8600 x 106.

ELECOR LLC

13 Wood Street
P.O. Box 26125
West Haven, CT 06516
Phone: 203-937-3029
Fax: 203-937-3028

For Parts, Accessories, or
Warranty Assistance, Please
Call 1-888-466-8600 x 106



**Manufacturers of Quality
Electrical Products**

MH8210 One Hand Wire Handling Cart



Instruction Manual

Hardware

The hardware for assembling the One Hand Wire Handling Cart is enclosed in the MH8210-G Hardware Kit (bag). The kit contains the items shown at right.

Assembly Instructions

1 Insert Handle Bolt (1) into hole on the top of Frame Connector (B). Secure using 1/4 x 20 Nylon – Insert Locknut (2) as shown in Figure 1.

NOTE: When tightening Nylon Locknut (2) make sure hole in Handle Bolt is parallel to Frame Connector (B). Repeat for the second Frame Connector.

2 Insert Frame Connector (B) into the two Support Frames (C). Push down firmly until Ball Pins in Frame Connector (B) snap into holes in the Support Frame (C) as shown in Figure 2. Repeat for the second Frame Connector.






3 Line up the holes in the Handle (A) with the Handle Bolts (1) on the top of each Frame Connector (B).

NOTE: Make sure dimple holes in Handle are facing upward. Push down Handle over Handle Bolts and secure with Hitch Pin Clips (5) as shown in Figure 3.

4 Slide the Zinc Plated Wheel Axle (E) through the hole in the bottom of Support Frame (C). Using Wheels (F), 5/8" x 1-1/4" Flat Washers (3) and 1-1/2" Cotter Pins (4) secure Wheels and Axle as shown in Figure 4.

NOTE: After inserting Cotter Pin (4) through hole in Wheel Axle (E), bend pin upward to lock in place.

5 Slide the Zinc Plated Reel Shafts (D) through the holes in the side of the Frame Connectors (B). Secure using Hitch Pin Clips (5) as shown in Figure 5.

Reference	Description	Qty
1	 1/4-20 X 1-1/2 HANDLE BOLT	2
2	 1/4-20 NYLON-INSERT LOCK NUT	2
3	 5/8 x 1-1/4 FLAT WASHER	4
4	 1-1/2 COTTER PIN	2
5	 3 X 65 HITCH PIN CLIP	6

HARDWARE KIT

